

Sub D1  
a display for displaying received information;

an indicator for performing an extraction of an information identification code and indicating a transmission of the information identification code to an external device, which acquires information corresponding to the information identification code by a same single physical key;

an extraction unit for, when an extraction of an information identification code is indicated by said indicator, extracting an information identification code from the information displayed by said display;

a memory for storing the information identification code extracted by said extraction unit; and

a transmitter for, when transmission of an information identification code is indicated by said indicator, transmitting the information identification code stored in said memory to the external device.

Sub D2  
22. (Twice Amended) A method of controlling a portable terminal apparatus, said method comprising:

a display step of displaying received information;

an extraction indication step of performing an extraction of an information identification code and indicating a transmission of the information identification code to an external device, which acquires information corresponding to the information identification code by a same single physical key;

an extraction step of, when an extraction of an information identification code is indicated in said extraction indication step, extracting an information identification code from the

Dr  
CJ  
Anel  
information displayed in said display step;

a storage step of storing the information identification code extracted in said extraction step; and

a transmission step of, when transmission of an information identification code is indicated in said extraction indication step, transmitting the information identification code stored in said storage step to the external device.

Sub  
DB  
24. (Twice Amended) A computer-readable storage medium storing a program for implementing a method of controlling a portable terminal apparatus, the program comprising:

program code of a display step of displaying received information;

program code of an extraction indication step of performing an extraction of an information identification code and indicating a transmission of the information identification code to an external device, which acquires information corresponding to the information identification code by a same single physical key;

CB  
program code of an extraction step of, when an extraction of an information identification code is indicated in the extraction indication step, extracting an information identification code from the information displayed in the display step;

program code of a storage step of storing the information identification code extracted in the extraction step; and

program code of a transmission step of, when a transmission of an information identification code is indicated in the extraction indication step, transmitting the information identification code stored in the storage step to the external device.

26. (Amended) A computer program product embodying a program for implementing a method of controlling a portable terminal apparatus, said program product comprising:

program code of a display step of displaying received information;

program code of an extraction indication step of an extraction of an information identification code and indicating a transmission of the information identification code to an external device, which acquires information corresponding to the information identification code by a same single physical key;

program code of an extraction step of, when an extraction of an information identification code is indicated in the extraction indication step, extracting an information identification code from the information displayed in the display step;

program code of a storage step of storing the information identification code extracted in the extraction step; and

program code of a transmission step of, when a transmission of an information identification code is indicated in the extraction indication step, transmitting the information identification code stored in the storage step to the external device.

28. (Amended) A computer data signal for controlling a portable terminal apparatus, said signal program comprising:

a data code signal of a display step of displaying received information;

a data code signal of an extraction indication step of performing an extraction of an information identification code and indicating a transmission of the information identification code to an external device, which acquires information corresponding to the information